International Journal of Pharmaceutics, 44 (1988) 273–275
Elsevier

Author Index

Ackermann, C., see Van der Merwe, E. (44) 71
Ahmed, I. and Chaudhuri, B.
Evaluation of buffer systems in ophthalmic product development (44) 97
Alsina, M.A., see Reig, F. (44) 257
Alsina, M.A., see Reig, F. (44) 269

Barnes, A.R. and Sugden, J.K.
Detection of photolytically produced hydroxyl radicals by reaction with 2,2,2-trichloroethanol (44) 31
Becker, A.R., see Powell, M.F. (44) 225
Bell, A.E., see Martin, G.P. (44) 57
Benson, H.A.E., McElnay, J.C. and Harland, R.
Phonophoresis of lignocaine and prilocaine from Emla cream (44) 65
Bridges, J.F., Woodley, J.F., Duncan, R. and Kopeček, J.
Soluble *N*-(2-hydroxypropyl)methacrylamide copolymers as a potential oral, controlled-release, drug delivery system. I. Bioadhesion to the rat intestine in vitro (44) 213
Buckton, G.
The assessment, and pharmaceutical importance, of the solid/liquid and the solid/vapour interface: a review with respect to powders (44) 1
Bundgaard, H., Nielsen, N.M. and Buur, A.
Aspirin prodrugs: synthesis and hydrolysis of 2-acetoxybenzoate esters of various *N*-(hydroxyalkyl)amides (44) 151
Busquets, M.A., see Reig, F. (44) 257
Buur, A., see Bundgaard, H. (44) 151

Caramella, C., Colombo, P., Conte, U., Ferrari, F., Gazzaniga, A., LaManna, A. and Peppas, N.A.
A physical analysis of the phenomenon of tablet disintegration (44) 177
Carrupt, P.-A., see Röthlisberger, T. (44) 141
Casabó, V.G., see Collado, E.F. (44) 187
Chaudhuri, B., see Ahmed, I. (44) 97
Chen, S., see Powell, M.F. (44) 225
Chien, Y.W., see Liu, J.-C. (44) 197
Collado, E.F., Fabra-Campos, S., Peris-Ribera, J.E., Casabó, V.G., Martín-Villodre, A. and Plá-Delfina, J.M.
Absorption–partition relationships for true homologous series of xenobiotics as a possible approach to study mechanisms of surfactants in absorption. II. Aromatic amines in rat small intestine (44) 187
Colombo, P., see Caramella, C. (44) 177
Conte, U., see Caramella, C. (44) 177

Davis, S.S., see Feely, L.C. (44) 131
Davis, S.S., see Washington, C. (44) 169
Duncan, R., see Bridges, J.F. (44) 213

Eshra, A.G., Etman, M.A. and Naggar, V.F.
Effect of milk and food on the bioavailability of ketoprofen in man (44) 9
Etman, M.A., see Eshra, A.G. (44) 9
Etter, J.-C., see Röthlisberger, T. (44) 141

Fabra-Campos, S., see Collado, E.F. (44) 187
Fairbrother, J.E., see Queen, D. (44) 25
Fassihi, A.R.
Consolidation behaviour of polymeric substances in non-disintegration solid matrices (44) 249
Feely, L.C. and Davis, S.S.
The influence of polymeric excipients on drug release from hydroxypropylmethylcellulose matrices (44) 131
Ferrari, F., see Caramella, C. (44) 177
Friedman, M., Harrari, D., Rimer, A. and Stabholz, A.
Inhibition of plaque formation by a sustained release delivery system for cetylpyridinium chloride (44) 243
Fujihara, Y., see Kaneo, Y. (44) 265
Furuya, Y., see Takada, K. (44) 107

García Antón, J.M., see Reig, F. (44) 257
García Antón, J.M., see Reig, F. (44) 269
Gazzaniga, A., see Caramella, C. (44) 177
Gould, P.L., see Thomas, N.W. (44) 261

Habib, M.J. and Rogers, J.A.
Kinetics of hydrolysis and stabilization of acetylsalicylic acid in liposome formulations (44) 235
Hannula, A.-M., see Marvola, M. (44) 159
Happonen, I., see Marvola, M. (44) 159
Harland, R., see Benson, H.A.E. (44) 65
Harrari, D., see Friedman, M. (44) 243
Higuchi, T., see Nghiem, B.T. (44) 125
Hung, C.T., Lam, F.C., Perrier, D.G. and Souter, A.
A stability study of amphotericin B in aqueous media using factorial design (44) 117

Iguchi, S., see Kaneo, Y. (44) 265

Jalal, I., see Najib, N. (44) 43

0378-5173/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Kaneo, Y., Tanaka, T., Fujihara, Y., Mori, H. and Iguchi, S.
Delivery of glutathione, as a dextran conjugate, into the liver (44) 265
Kenley, R.A., see Powell, M.F. (44) 225
Kim, W.B., see Lee, K.C. (44) 49
Kinget, R., see Provost, C. (44) 75
Koh, I.B., see Lee, K.C. (44) 49
Kojima, M., see Sasaki, H. (44) 15
Kopeček, J., see Bridges, J.F. (44) 213
Kopra, T., see Marvola, M. (44) 159

Lack, L.J., see Thomas, N.W. (44) 261
Lam, F.C., see Hung, C.T. (44) 117
LaManna, A., see Caramella, C. (44) 177
Lee, K.C., Koh, I.B., Kim, W.B. and Lee, Y.J.
Size and morphological analysis of albumin microspheres in the lungs and liver of mice (44) 49
Lee, Y.J., see Lee, K.C. (44) 49
Li, J., see Liu, J.-C. (44) 197
Liu, J.-C., Sun, Y., Siddiqui, O., Chien, Y.W., Shi, W. and Li, J.
Blood glucose control in diabetic rats by transdermal iontophoretic delivery of insulin (44) 197

Magill, A., see Powell, M.F. (44) 225
Marriott, C., see Martin, G.P. (44) 57
Marriott, C., see Queen, D. (44) 25
Martin, G.P., Bell, A.E. and Marriott, C.
An in vitro method for assessing particle deposition from metered pressurised aerosols and dry powder inhalers (44) 57
Martin, G.P., see Queen, D. (44) 25
Martin-Villodre, A., see Collado, E.F. (44) 187
Marvola, M., Hannula, A.-M., Westermarck, E., Happonen, I. and Kopra, T.
Disintegration of hard gelatin capsule formulations in the dog stomach — a radiological study (44) 159
Mayer, J.M., see Röthlisberger, T. (44) 141
McElnay, J.C., see Benson, H.A.E. (44) 65
McTiernan, R.G., see Sloan, K.B. (44) 87
Mestres, C., see Reig, F. (44) 269
Mori, H., see Kaneo, Y. (44) 265
Mori, Y., see Sasaki, H. (44) 15
Muranishi, S., see Takada, K. (44) 107

Naggar, V.F., see Eshra, A.G. (44) 9
Najib, N. and Jalal, I.
Correlation between dissolution and disintegration rate constants for acetaminophen tablets (44) 43
Nakamura, J., see Sasaki, H. (44) 15
Nghiem, B.T. and Higuchi, T.
Esterase activity in snake skin (44) 125
Nielsen, N.M., see Bundgaard, H. (44) 151

Oka, T., see Takada, K. (44) 107

Palin, K.J., see Thomas, N.W. (44) 261
Peppas, N.A., see Caramella, C. (44) 177
Peris-Ribera, J.E., see Collado, E.F. (44) 187
Perrier, D.G., see Hung, C.T. (44) 117
Plá-Delfina, J.M., see Collado, E.F. (44) 187
Polli, G.P., see Williams, N.A. (44) 205
Powell, M.F., Magill, A., Becker, A.R., Kenley, R.A., Chen, S. and Visor, G.C.
Non-steroidal anti-psoriatic prodrugs. II. Citric acid stabilization of lonapalene in various alcohol media and an ointment formulation (44) 225
Provost, C. and Kinget, R.
Transparent oil–water gels: a study of some physicochemical and biopharmaceutical characteristics. Part I. Formation of transparent oil–water gels in the 4-component-system of Eumulgin B3, Cetiol HE, isopropyl palmitate, and water (44) 75

Queen, D., Martin, G.P., Marriott, C. and Fairbrother, J.E.
Assessment of the potential of a new hydrocolloid dermatological patch (Actiderm) in the treatment of steroid-responsive dermatoses (44) 25

Reig, F., Busquets, M.A., García Antón, J.M., Valencia, G. and Alsina, M.A.
Interaction of analgesics with lecithin and ganglioside monolayers (44) 257
Reig, F., Mestres, C., García Antón, J.M., Valencia, G. and Alsina, M.A.
Penetration of morphine and naloxone in phosphatidylserine monolayers (44) 269
Rimer, A., see Friedman, M. (44) 243
Rogers, J.A., see Habib, M.J. (44) 235
Röthlisberger, T., Testa, B., Carrupt, P.-A., Mayer, J.M. and Etter, J.-C.
The influence of hydration and structure-promoting effects on the viscosity of binary solvent mixtures (44) 141

Sasaki, H., Kojima, M., Mori, Y., Nakamura, J. and Shibasaki, J.
Enhancing effect of pyrrolidone derivatives on transdermal drug delivery. I. (44) 15
Sherertz, E.F., see Sloan, K.B. (44) 87
Shi, W., see Liu, J.-C. (44) 197
Shibasaki, J., see Sasaki, H. (44) 15
Siddiqui, O., see Liu, J.-C. (44) 197
Sloan, K.B., Sherertz, E.F. and McTiernan, R.G.
The effect of structure of Mannich base prodrugs on their ability to deliver theophylline and 5-fluorouracil through hairless mouse skin (44) 87
Souter, A., see Hung, C.T. (44) 117
Stabholz, A., see Friedman, M. (44) 243
Sugden, J.K., see Barnes, A.R. (44) 31
Sun, Y., see Liu, J.-C. (44) 197

Takada, K., Furuya, Y., Yoshikawa, H., Muranishi, S., Yasumura, T. and Oka, T.
Increased systemic availability of cyclosporin A by formulation design: pharmacokinetic consideration on its transport (44) 107
Tanaka, T., see Kaneo, Y. (44) 265
Testa, B., see Röthlisberger, T. (44) 141
Thomas, N.W., Lack, L.J., Woodhouse, B.A., Palin, K.J. and Gould, P.L.
Formulation of Fenbufen suppositories. III. Histology of the rectal mucosa of rats following repeat dosing of Fenbufen in Witepsol H12 and PEG vehicles (44) 261

Valencia, G., see Reig, F. (44) 257
Valencia, G., see Reig, F. (44) 269
Van der Merwe, E., Ackermann, C. and Van Wyk, C.J.
Factors affecting the permeability of urea and water through nude mouse skin in vitro. I. Temperature and time of hydration (44) 71
Van Wyk, C.J., see Van der Merwe, E. (44) 71
Visor, G.C., see Powell, M.F. (44) 225

Washington, C. and Davis, S.S.
The production of parenteral feeding emulsions by Microfluidizer (44) 169
Westermarck, E., see Marvola, M. (44) 159
Williams, N.A. and Polli, G.P.
Differential scanning calorimetric studies on frozen cephalosporin solutions (44) 205
Woodhouse, B.A., see Thomas, N.W. (44) 261
Woodley, J.F., see Bridges, J.F. (44) 213

Yasumura, T., see Takada, K. (44) 107
Yoshikawa, H., see Takada, K. (44) 107

Noticeboard

11–16 June 1988
16th International Congress of Chemotherapy, Jerusalem, Israel. (Contact: Prof. E. Rubinstein, P.O.B. 983, Jerusalem 91009, Israel. Tel. (972) 2 527335, 533717 or 536151 (3149). Telex: 341171 KENS IL. Telefax: (972) 3 655674.

15–19 August 1988
15th International Symposium on Controlled Release of Bioactive Materials, European World Trade and Convention Center, Basel, Switzerland. (Contact: (*For North America*) Administrative Office, Controlled Release Society, 16 Nottingham Drive, Lincolnshire, IL 60015, U.S.A. Tel. (312) 940-4277. (*For Other Countries*) Symporg SA, 108 Route de Frontenex, CH-1208 Geneva, Switzerland. Tel. (41)-(22) 863744)

1–3 September 1988
8th CIRD Symposium "Advances in Skin Pharmacology: Pharmacology of Retinoids in the Skin", Cannes, France. (Send approx. 300 word abstracts for formal or poster presentation to: Dr. B. Shroot, Centre International de Recherches Dermatologiques, Sophia Antipolis, F-06565 Valbonne, France.)

28–30 September 1988
Third International Conference on Drug Absorption, Edinburgh, U.K. (Contact: Dr. I. Sword, Inveresk Research International Ltd., Musselburgh EH21 7UB, Scotland, U.K. Tel.: (031) 665 6881; Telefax: (031) 665 9976; Telex: 727228.)

30 October–4 November 1988
The Federation of Analytical Chemistry and Spectroscopic Societies (FACSS) will hold a forum in the Hynes Convention Center, Boston, MA, U.S.A. (Contact: Edward G. Brame, Jr. (FACSS Exhibit Director), 13 North Cliffe Dr., Wilmington, DE 19089, U.S.A. Tel. (302) 798-5161.)

INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 44 NOS. 1–3 CONTENTS JUNE 1988

Review Article

The assessment, and pharmaceutical importance, of the solid/liquid and the solid/vapour interface: a review with respect to powders (IJP 01501)
G. Buckton (U.K.) 1

Research Papers

Effect of milk and food on the bioavailability of ketoprofen in man (IJP 01475)
A.G. Eshra, M.A. Etman and V.F. Naggar (Egypt) 9

Enhancing effect of pyrrolidone derivatives on transdermal drug delivery. I. (IJP 01476)
H. Sasaki, M. Kojima, Y. Mori, J. Nakamura and J. Shibasaki (Japan) 15

Assessment of the potential of a new hydrocolloid dermatological patch (Actiderm) in the treatment of steroid-responsive dermatoses (IJP 01477)
D. Queen, G.P. Martin, C. Marriott and J.E. Fairbrother (U.K.) 25

Detection of photolytically produced hydroxyl radicals by reaction with 2,2,2-trichloroethanol (IJP 01478)
A.R. Barnes and J.K. Sugden (U.K.) 31

Correlation between dissolution and disintegration rate constants for acetaminophen tablets (IJP 01479)
N. Najib and I. Jalal (Jordan) 43

Size and morphological analysis of albumin microspheres in the lungs and liver of mice (IJP 01481)
K.C. Lee, I.B. Koh, W.B. Kim and Y.J. Lee (Korea) 49

An in vitro method for assessing particle deposition from metered pressurised aerosols and dry powder inhalers (IJP 01482)
G.P. Martin, A.E. Bell and C. Marriott (U.K.) 57

Phonophoresis of lignocaine and prilocaine from Emla cream (IJP 01484)
H.A.E. Benson, J.C. McElnay and R. Harland (U.K.) 65

Factors affecting the permeability of urea and water through nude mouse skin in vitro. I. Temperature and time of hydration (IJP 01485)
E. Van der Merwe, C. Ackermann and C.J. Van Wyk (South Africa) 71

Transparent oil–water gels: a study of some physicochemical and biopharmaceutical characteristics. Part I. Formation of transparent oil–water gels in the 4-component-system of Eumulgin B3, Cetiol HE, isopropyl palmitate, and water (IJP 01486)
C. Provost and R. Kinget (Belgium) 75

The effect of structure of Mannich base prodrugs on their ability to deliver theophylline and 5-fluorouracil through hairless mouse skin (IJP 01487)
K.B. Sloan, E.F. Sherertz and R.G. McTiernan (U.S.A.) 87

Evaluation of buffer systems in ophthalmic product development (IJP 01488)
I. Ahmed and B. Chaudhuri (U.S.A) 97

(Contents continued on p. 276)

© 1988 Elsevier Science Publishers B.V. (Biomedical Division). All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

Submission of a paper to this journal entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Cited in: Current Contents (Life Sciences; Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE; Index Medicus

Printed in The Netherlands

(Contents continued from back cover)

Increased systemic availability of cyclosporin A by formulation design: pharmacokinetic consideration on its transport (IJP 01489)
K. Takada, Y. Furuya, H. Yoshikawa, S. Muranishi, T. Yasumura and T. Oka (Japan) 107
A stability study of amphotericin B in aqueous media using factorial design (IJP 01490)
C.T. Hung, F.C. Lam, D.G. Perrier and A. Souter (New Zealand) 117
Esterase activity in snake skin (IJP 01491)
B.T. Nghiem and T. Higuchi (U.S.A.) 125
The influence of polymeric excipients on drug release from hydroxypropylmethylcellulose matrices (IJP 01492)
L.C. Feely and S.S. Davis (U.K.) 131
The influence of hydration and structure-promoting effects on the viscosity of binary solvent mixtures (IJP 01493)
T. Röthlisberger, B. Testa, P.-A. Carrupt, J.M. Mayer and J.-C. Etter (Switzerland) 141
Aspirin prodrugs: synthesis and hydrolysis of 2-acetoxybenzoate esters of various *N*-(hydroxyalkyl)amides (IJP 01494)
H. Bundgaard, N.M. Nielsen and A. Buur (Denmark) 151
Disintegration of hard gelatin capsule formulations in the dog stomach — a radiological study (IJP 01495)
M. Marvola, A.-M. Hannula, E. Westermarck, I. Happonen and T. Kopra (Finland) 159
The production of parenteral feeding emulsions by Microfluidizer (IJP 01498)
C. Washington and S.S. Davis (U.K.) 169
A physical analysis of the phenomenon of tablet disintegration (IJP 01499)
C. Caramella, P. Colombo, U. Conte, F. Ferrari, A. Gazzaniga, A. LaManna and N.A. Peppas (Italy, U.S.A.) 177
Absorption–partition relationships for true homologous series of xenobiotics as a possible approach to study mechanisms of surfactants in absorption. II. Aromatic amines in rat small intestine (IJP 01500)
E.F. Collado, S. Fabra-Campos, J.E. Peris-Ribera, V.G. Casabó, A. Martín-Villodre and J.M. Plá-Delfina (Spain) 187
Blood glucose control in diabetic rats by transdermal iontophoretic delivery of insulin (IJP 01502)
J.-C. Liu, Y. Sun, O. Siddiqui, Y.W. Chien, W. Shi and J. Li (U.S.A.) 197
Differential scanning calorimetric studies on frozen cephalosporin solutions (IJP 01503)
N.A. Williams and G.P. Polli (U.S.A.) 205
Soluble *N*-(2-hydroxypropyl)methacrylamide copolymers as a potential oral, controlled-release, drug delivery system. I. Bioadhesion to the rat intestine in vitro (IJP 01504)
J.F. Bridges, J.F. Woodley, R. Duncan and J. Kopeček (U.K., Czechoslovakia, U.S.A.) 213
Non-steroidal anti-psoriatic prodrugs. II. Citric acid stabilization of lonapalene in various alcohol media and an ointment formulation (IJP 01505)
M.F. Powell, A. Magill, A.R. Becker, R.A. Kenley, S. Chen and G.C. Visor (U.S.A.) 225
Kinetics of hydrolysis and stabilization of acetylsalicylic acid in liposome formulations (IJP 01506)
M.J. Habib and J.A. Rogers (Canada) 235
Inhibition of plaque formation by a sustained release delivery system for cetylpyridinium chloride (IJP 01507)
M. Friedman, D. Harrari, A. Rimer and A. Stabholz (Israel) 243
Consolidation behaviour of polymeric substances in non-disintegration solid matrices (IJP 01508)
A.R. Fassihi (South Africa) 249

Short Communications
Interaction of analgesics with lecithin and ganglioside monolayers (IJP 01480)
F. Reig, M.A. Busquets, J.M. García Antón, G. Valencia and M.A. Alsina (Spain) 257
Formulation of Fenbufen suppositories. III. Histology of the rectal mucosa of rats following repeat dosing of Fenbufen in Witepsol H12 and PEG vehicles (IJP 01483)
N.W. Thomas, L.J. Lack, B.A. Woodhouse, K.J. Palin and P.L. Gould (U.K.) 261
Delivery of glutathione, as a dextran conjugate, into the liver (IJP 01511)
Y. Kaneo, T. Tanaka, Y. Fujihara, H. Mori and S. Iguchi (Japan) 265
Penetration of morphine and naloxone in phosphatidylserine monolayers (IJP 01515)
F. Reig, C. Mestres, J.M. García Antón, G. Valencia and M.A. Alsina (Spain) 269

Author Index 273

Noticeboard 275